

**BIDS AND AWARDS COMMITTEE FOR GOODS AND SERVICES****SUPPLEMENTAL/BID BULLETIN**

JANUARY 21, 2021

ICT SUPPLIES FOR 1ST AND 2ND QUARTERS OF 2021**NEUST All Campuses****(PUBLIC BIDDING)**

Issued pursuant to Sec. 22.5 of the IRR of R.A. 9184 to clarify and/or amend certain provisions in the Bidding Documents issued for this project, considering the issues raised and clarifications made by prospective bidders during the Pre-Bid Conference held on January 21, 2021.

AMENDMENTS/INCLUSIONS:Description: 1 LOT – ICT SUPPLIES FOR 1ST AND 2ND QUARTERS OF 2021

<i>QTY</i>	<i>UNIT</i>	<i>DESCRIPTION</i>
20	unit	8 GB DDR4 3200 Mhz Desktop Memory
30	piece	AC Automatic Voltage Regulator with line filter, Has output voltage meter for visual indication Input: 180 VAC -250 VAC Output: 220 VAC Capacity 500 VA MAX Three sockets w/ grounding Relay type control system Fuse for overload protection
10	unit	Computer Speaker w/ Sub, Total watts (RMS): 40W Subwoofer: 24W Satellites: 2 x 8 W3.5 mm input: 1RCA input: 1Headphone jack
5	unit	Inkjet Printer (Print, Scan, Copy) <ul style="list-style-type: none">- Compact integrated tank design / Print speeds up to 15ipm for black and 8.0ipm for colour / Auto-duplex printing Ethernet & Wi-Fi Direct / Borderless Printing up to A4 size Spill-free ink refilling Compact integrated tank design- Print speeds up to 15ipm for black and 8.0ipm for colour- Auto-duplex printing- Ethernet & Wi-Fi Direct- Borderless Printing up to A4 size- Spill-free ink refilling Print Speed: Photo Default - 10 x 15 cm / 4 x 6 " *2 #3: Approx. 69 sec per photo (Border) *1 Approx. 92 sec per photo (Borderless) *1 Draft, A4 (Black / Colour): Up to 33 ppm / 20 ppm *1 ISO 24734, A4 Simplex (Black / Colour): Up to 15 ipm / 8.0 ipm *1 ISO 24734, A4 Duplex (Black / Colour): Up to 6.5 ipm / 4.5 ipm *1

		Scan Speed: Flatbed (Black / Colour): 200dpi: 12 sec / 27 sec -
10	piece	External/portable Shock proof Hard Disk, 1 TB
10	pieces	External/portable Shock proof, 500GB
12	piece	External/portable Shock proof, 2 TB
20	piece	Micro SD Card, 128 GB, class 10
20	pieces	Internal solid-state drive SSD, 500 GB
10	BOX	UTP Cable CAT 5e Indoor 305m per box (200MHz), 4-Pair, U/UTP-unshielded, Riser-CMR, Premise Horizontal cable, 24 AWG solid bare copper conductors, polyolefin insulation, ripcord, PVC jacket.
15	unit	UPS, 650VA, 325watts, 220 volts, minimum 4 universal sockets, Efficiency at Full Load: 65.3%, Battery Type Maintenance-free sealed Lead-Acid battery
10	set	Wireless Keyboard/ mouse Combo, Full-size layout with 12 enhanced F-keys for media control Unifying-ready keyboard: No Unifying-ready receiver: No Wireless operating distance: 10m maximum** Wireless system: Advanced 2.4 GHz wireless connectivity
20	unit	WiFi Router dual band 1900 Mbps for three times faster performance than 802.11n routers Broadcom® TurboQAM™ technology increases wireless-N data rate to 600 Mbps <ul style="list-style-type: none"> - Five Gigabit Ethernet ports for fast, stable wired network connections. - Dual-core processor for fast and responsive performance with Wi-Fi, Ethernet and USB devices
60	piece	Flash Drive, 16GB, Dual Connectors (USB and OTG) for Easy File Transfers Optimized for Android smartphones and tablets, the SanDisk Ultra Dual USB Drive features a micro-USB connector on one side and a USB 2.0 connector on the other, enabling you to transfer photos, videos, and other files to your PC or Mac computer to clear up storage space.
32	piece	Flash Drive, 64GB Dual Connectors (USB and OTG) for Easy File Transfers Optimized for Android smartphones and tablets, the SanDisk Ultra Dual USB Drive features a micro-USB connector on one side and a USB 2.0 connector on the other, enabling you to transfer photos, videos, and other files to your PC or Mac computer to clear up storage space.
12	Unit	Professional Headset (for audio and video editing) Driver Type: Dynamic, Neodymium magnet Driver Size: 40 mm Frequency Range: 5 - 30,000 Hz Sensitivity: (@ 1 kHz) 100 dB/mW Impedance: (@ 1 kHz) 42 Ω Maximum Input Power: 1000 mW Plug: Gold-plated 1/8" (3.5 mm) stereo plug with threaded 1/4" (6.3 mm) gold-plated adapter Cable Length/Type Coiled: 3 meters (9.84 ft) / Detachable, coiled oxygen-free copper Straight: 2.5 meters (8.2 ft) / Detachable, straight oxygen-free copper Removable Ear Pads: Yes

		Collapsible: Yes Weight: (without cable) 22g (11.4 oz)
20	Unit	HDMI Cable, 5 meters
8	Unit	<p><i>Professional Studio Microphone</i> Acoustic Principle: Pressure Gradient Active Electronics: JFET impedance converter with bipolar output buffer Capsule: 1.00" Polar Pattern: Cardioid Address Type: Side Frequency Range: 20Hz - 20kHz Output Impedance : 100Ω Maximum SPL: 137dB SPL Maximum Output Level: 13.7mV (@ 1kHz, 1% THD into 1KΩ load) Sensitivity: -31.9dB re 1 Volt/Pascal (25.00mV @ 94 dB SPL) +/- 2 dB @ 1kHz Equivalent Noise Level : (A-weighted) 5dBA Power Options: +24V phantom power+48V phantom power Weight: 326.00g Dimensions: 190.00mmH x 50.00mmW x 50.00mmD Output: XLR</p>
20	unit	<p>Card Reader Universal:</p> <ul style="list-style-type: none"> - SD/Micro SD Card Reader Writer USB 3.0 Memory Card Reader OTG Adapter Viewer Micro SD/TF Compact Flash Card Reader with 2 in 1 USB/Type C - Broad Compatibility: Windows 2000/XP/Vista(SP2)/7(SP1)/8/8.1/10(32/64-bit), Mac OS X 10.8.x and later, Android 4.0 and later, Chrome OS. Plug and Play!
10	unit	HDMI to AV Converter scaler adapter HD Video Composite Converter Box
8	unit	27 inch, FHD, IPS technology wide 178 degree viewing angles, Ultra-slim 7mm profile, Frameless, Flicker Free, Blue Light Filter, 360-degree Rotation
290	pieces	RJ 45
30	unit	Earphone w/ Microphone 1.2m (H.Q)

20	unit	<p><i>Two Way Powered Desktop Calculator</i></p> <ul style="list-style-type: none"> • <i>Printing Calculator Adding Machine, Calculators Heavy Duty Machines</i> • <i>Compact Type</i> • <i>12 digits</i> • <i>2.0 line-per-second printing</i> • <i>2-color printing</i> • <i>Clock & Calendar Printing</i> • <i>Reprint / After Print</i> • <i>Regular percent</i> • <i>150 steps check</i> • <i>Tax calculation</i> • <i>Currency exchange</i> • <i>Cost/Sell/Margin</i> • <i>Mark-up/Mark-down</i> • <i>Function command signs</i> • <i>Rounding selector</i> • <i>Decimal selector</i> • <i>Key rollover</i> • <i>Extra Large display</i> • <i>Plastic keys</i> • <i>With power adapter</i>
25	unit	<p><i>Computer webcam, 12MP (Interpolation), 1080p Full HD pixel CMOS, Manual Focus</i></p> <p><i>View angle: 120°</i></p> <p><i>Built-in microphone: Yes</i></p>

Amendments made herein shall be considered an integral part of the Bidding Documents.

For information and guidance of all concerned.

HONORATO P. PANAHON, Ph.D.
BAC Chairperson